STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	155772	A. BUILDING _____ B. WING _____	C 06/27/2011

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
COBBLESTONE CROSSINGS HEALTH CAMPUS	1850 E HOWARD WAYNE DRIVE TERRE HAUTE, IN 47802

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
F 000	INITIAL COMMENTS This visit was for investigation of Complaint IN 00092478. This visit was in conjunction with a Post Survey Revisit (PSR) to the Recertification and State Licensure Survey completed on May 13, 2011. Complaint IN00092478 substantiated. No deficiencies related to the allegations are cited. Survey date: June 27, 2011 Facility number: 011906 Provider number: 155772 AIM number: 200912380 Survey team: Laura Brashear, RN, TC Mary Weyls, RN Teresa Buske, RN Census bed type: SNF: 42 Residential: 39 Total: 81 Census payer type: Medicare: 29 Other: 52 Total: 81 Sample: 11 Cobblestone Crossings Health Campus was found to be in compliance with 42 CFR Part 483, Subpart B and 410 IAC 16.2 in regard to the investigation of Complaint IN00092478.	F 000		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE | TITLE | (X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	155772	A. BUILDING _____ B. WING _____	C 06/27/2011

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
COBBLESTONE CROSSINGS HEALTH CAMPUS	**1850 E HOWARD WAYNE DRIVE TERRE HAUTE, IN 47802**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
F 000	Continued From page 1 Quality review completed 6/29/11 Cathy Emswiller RN	F 000		